CONCEPTS IN SARCOIDOSIS

of sarcoid granulomas and the possible importance cf secretory products released from a granuloma in the production of some of the manifestations of this disease. I have also emphasized an old concept, the continued requirement for tissue biopsy to establish the diagnosis of this condition.

REFERENCES

- 1. Sharma OP: Sarcoidosis—A Clinical Approach. Springfield, Ill, Charles C Thomas, 1975, p 28
- 2. Rush JA: Pseudotumor cerebri: Clinical profile and visual outcome in 63 patients. Mayo Clin Proc 1980; 55:541-546
- 3. Mitchell DN, Rees RJW: The nature and physical characteristics of a transmissible agent from human sarcoid tissue. Ann NY Acad Sci 1976; 278:233-248
- 4. Hunninghake GW, Gadek JE, Kawanami O, et al: Inflammatory and immune processes in the human lung in health and disease: Evaluation by bronchoalveolar lavage. Am J Pathol 1979 Oct; 97:149-206
- 5. Roth C, Huchon GJ, Arnoux A, et al: Bronchoalveolar cells in advanced pulmonary sarcoidosis. Am Rev Respir Dis 1981 Jul; 124:9-12
 6. Barbour GL, Coburn JW, Slatopolsky E, et al: Hypercalcemia in an anephric patient with sarcoidosis: Evidence for extrarenal generation of 1,25-dihydroxyvitamin D. N Engl J Med 1981; 305:440-442
- 7. Lambert PW, Stern PH, Avioli RC, et al: Evidence for extrarenal production of 1,25-dihydroxyvitamin D in man. J Clin Invest 1982; 69: 722-725
- 8. Smellie H, Hoyle C: The natural history of pulmonary sarcoidosis. Q J Med 1960; 116:539-558

Medical Practice Questions

EDITOR'S NOTE: From time to time medical practice questions from organizations with a legitimate interest in the information are referred to the Scientific Board by the Quality Care Review Commission of the California Medical Association. The opinions offered are based on training, experience and literature reviewed by specialists. These opinions are however informational only and should not be interpreted as directives, instructions or policy state-

CT Scans of Lumbar Spine?

QUESTION:

What are the indications for computerized tomography (CT) scans of the lumbar spine?

OPINION:

In the unanimous opinion of the Scientific Advisory Panels on Neurology, Neurosurgery and Radiology, computerized tomography (CT) of the lumbar spine is established medical practice. As a general principle, CT scanning of the lumbar spine is justified when there is a reasonable suspicion of clinically significant disease. This would include a number of disorders of congenital, traumatic, neoplastic and degenerative diseases affecting the spinovertebral axis, both on an intraaxial and extraaxial basis. Neurological, neurosurgical or orthopedic consultation is recommended before initiating a CT scan for such disorders. The frequency of serial scanning should be controlled by proper utilization guidelines. Under no circumstances should CT scanning of the lumbar spine be considered a screening procedure.

The CT scan often supplements and, in some cases, may eliminate the need for myelography. CT study of the lumbar spine, alone or in combination with metrizamide, can provide useful information that may not be available from plain myelographic studies. In many instances, both procedures may be indicated, since each provides a somewhat different perspective of spinal pathology. The efficacy of computerized tomography of the lumbar spine presumes the availability of adequate equipment and a procedural protocol.

Computerized tomography has become an effective, noninvasive diagnostic tool in evaluating disorders of the lumbar spine, and its usefulness will continue to increase.

551 APRIL 1983 • 138 • 4